






Fall Protection Quotation_Factory/Company

NEW PRICE
NEW ITEM






JM Euro s.r.o.
2023-05-22

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
1	Safety harness		safety harness with adjustable belt 2 side connecting elements for work positioning 2 anchor points - back with D ring and chest composed of two straps maximum user weight 140 kg standard: EN 361, EN 358	€ 39.86	5	pcs	€ 199.29	0.5~1.5W	Weight: 1.33kg
2	Safety harness		basic safety catch harness 45 mm polyester strap adjustable thigh and shoulder straps 2 fall arrest elements, back with D-ring and chest ribbed with two straps standard : EN 361 material : polyester, steel color : green-black	€ 21.14	5	pcs	€ 105.69	2~3D	Weight: 0.79kg
3	Safety harness		highly comfortable full-body harness with positioning belt 1 back and 1 chest anchor point, extending textile anchor point on the back swivel positioning strap with two side D rings adjustable size on shoulder and thigh straps quick release buckles on thigh straps, on chest straps, on belt	€ 96.54	2	pcs	€ 193.08	0.5~1.5W	Weight: 2.25kg
4	Full body harness		Size: S/M, L/2XL Fall indicator in the back padding; a red label becomes visible in the window in the back plate following a load of over 6 kN All load-bearing straps are equipped with indicator tape; red fibres become visible in the event of damage Shoulder padding with RFID pocket, labelling field and attachment option for the wireless device	€ 101.89	5	pcs	€ 509.47	1~1.5W	Discount! Weight: 1190g PREMIUM
5	2 Point Plus Harness		Ergonomic, lightweight basic harness with a sliding dorsal D-Ring. Features two chest D-Rings and flat bar buckles that are easy to use and fail safe. Constructed using nylon webbing straps. The chest and leg adjusters offer excellent fit and user comfort.	€ 40.63	6	pcs	€ 243.75	2~4D	Weight: aprox. 1.3kg

Fall Protection Quotation_Factory/Company

NEW PRICE
NEW ITEM






JM Euro s.r.o.
2023-05-22

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
6	2 Point Comfort Harness		Ergonomic harness with a sliding dorsal D-Ring. Features a breathable contoured backpad, two side D-Rings and flat bar buckles which are easy to use and fail safe. Constructed using polyester straps for ultimate durability. The waist, chest and leg adjusters offer excellent fit and user comfort.	€ 31.56	6	pcs	€ 189.38	2~4D	Weight: aprox. 1.26kg
7	Ultra 3 Point Harness		This full body harness features rear dorsal and front D-Rings with side D-Rings. Quick release buckles for easy fitting & 4 adjustment points. Rip indicators are installed to ease with inspections.	€ 80.25	3	pcs	€ 240.75	0.5~1.5W	Weight: aprox. 2kg 2 SIZE !
8	Harness BASIC		A basic type of harness intended for standard work in the construction industry (roofers, plumbers, etc.), with rear and front anchoring element, adjustable shoulder and thigh straps and an extended strap to the rear retaining element, meets the EN 361 (CE 0082) standard.	€ 39.94	10	pcs	€ 399.36	1~2W	Weight: Approx.1Kg
9	light 2 hook shock absorber		Rest loop situated directly at braking device Robust Triton carabiner with easy-use palm squeeze mechanism to prevent unintentional opening Elasticated webbing keeps carabiners close to hand Energy absorber conforms to EN 958: 2017: low impact force for all weight classes Complies with EN standard 958: 2017, even in the	€ 80.81	9	pcs	€ 727.27	1~1.5W	Weight: 481g Premium
10	light 2 hook shock absorber		Rest loop situated directly at braking device Elasticated webbing keeps carabiners close to hand Optimized OneTouch II carabiners prevent fingers getting pinched between the carabiner gate and steel cable Energy absorber conforms to EN 958: 2017: low impact force for all weight classes	€ 87.84	8	pcs	€ 702.73	1~1.5W	Weight: 514g Premium

Fall Protection Quotation_Factory/Company

NEW PRICE
NEW ITEM






JM Euro s.r.o.
2023-05-22

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
11	Fall arrester		fall arrester with two straps strap length 1.8 m damper width 35 mm at the ends of the ropes are steel hooks with an opening width of 50.8 mm	€ 46.04	5	pcs	€ 230.19	2~3D	Discount!
12	Fall arrester		strap length 1.8 m damper width 35 mm at the end of the rope is a steel hook with an opening width of 50.8 mm	€ 37.04	5	pcs	€ 185.19	0.5~1.5W	
13	Double Webbing Lanyard With Shock Absorber		This lanyard is made with polyester webbing and includes an energy absorber, a self locking carabiner and scaffold hook. It is 180cm long including connectors.	€ 30.25	12	pcs	€ 363.00	2~3D	also possible with 1 hook
14	Double Elasticated Lanyard With Shock Absorber		This double ended elasticated lanyard features a shock absorber, two scaffold hooks, a carabiner and is made from elasticated polyester webbing. It is 180cm long including connectors when fully extended.	€ 32.88	12	pcs	€ 394.50	2~3D	also possible with 1 hook
15	retractable fall arrester strap		total length 6 Meter strap width 25 mm, strap length 6 m carbine, fall indicator weight 2.56 kg certified for horizontal use tested for falling over a sharp edge material: polymer, polyester, steel standard: EN360, color: gray	€ 226.53	1	pcs	€ 226.53	1~1.5W	also possible 2.5meter, 10meter

Fall Protection Quotation_Factory/Company

NEW PRICE
NEW ITEM






JM Euro s.r.o.
2023-05-22

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
16	6M Retractable Fall Arrest Block Black		Length: 6 meter This Fall arrest block comprises of a retractable lifeline made of wire rope which is stored on a reel, within a protective housing. Easy to install Max rated load 100kg CE certified	€ 208.58	2	pcs	€ 417.15	2~3D	final stock!
17	Self-winding fall arrester		Self-retracting catch system with Kevlar strap, length 6 meter, weight 1700 g including two carabiners, two rotating elements, fall arrest signal, EN 360	€ 283.92	2	pcs	€ 567.84	1~1.5W	
18	Binding polyamide strap		the ends of the strap are sewn together to form a closed loop, length 1.5 m can be used as an anchor device to connect the fall arrest system to a structural anchor point minimum load 22 kN	€ 7.01	20	pcs	€ 140.28	1~2W	
19	Anchor sling 120cm		anchor loop - strap width 19 mm, strength 22 Kn, 120 cm EN795 EN566	€ 10.61	10	PCS	€ 106.12	1~2W	수량 많을 시 가격 네고 가능함.
20	Carbine		carabiner with manual screw lock diameter 10 mm, opening 18 mm, strength 23 kN, weight 160 g use for anchoring or connection to structures material: steel standard: EN 362 color: silver	€ 4.07	20	pcs	€ 81.5	0.5~1.5W	

Fall Protection Quotation_Factory/Company

NEW PRICE
NEW ITEM





JM Euro s.r.o.
2023-05-22

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
21	Carbine		carabiner with triple locking opening 23 mm, strength 25 kN, weight 240 g material: steel standard: EN 362 color: silver	€ 9.42	20	pcs	€ 188.4	0.5~1.5W	
22	Arc-shaped suspension		WLL 25t, pin diameter 52mm, arch inner diameter 127mm, clearance 73mm	€ 99.00	4	pcs	€ 396.0	1~1.5W	더 적은 용량도 공급합니다.
23	Arc-shaped suspension		WLL 55t, pin diameter 70mm, arch inner diameter 184mm, clearance 105mm	€ 336.00	4	pcs	€ 1,344.0	1~1.5W	
24	Eye with screw high strength		Eye with screw - high-strength, refined steel, painted red with markings WLL 0°=12.0t; 90°=3.0t, thread M30x45mm	€ 83.44	8	pcs	€ 667.5	1~1.5W	
25	Eye with screw		Eye with screw according to DIN 580, galvanized, die-forged, material C15WLL 3600kg d1=30mm d2=65mm d3=104mm d4=60mm l=45mm h=109mm k=24mm	€ 20.24	20	pcs	€ 404.7	1~1.5W	다양한 형태의 호이스트 취급합니다.

Fall Protection Quotation_Factory/Company

NEW PRICE
NEW ITEM






JM Euro s.r.o.
2023-05-22

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
26	Anchoring tripod		2 built-in pulleys on top of the tripod, 2 anchoring eyes on the top of the tripod adjustable tripod height 1.15 - 2.15 m base diameter 1.08 - 1.62 m weight 13 kg maximum load 500 kg meets the standards EN795: 2012 type B, EN 1808, ATEX material: aluminum, steel standard: EN 795, color: silver	€ 581.65	1	pcs	€ 581.65	1~1.5W	
27	set for Height work		kit for work on iron structures the set includes a transport bag, full-body harness FA1010400 (not for sale separately), connecting device with a fall arrester and two hooks FA3060015 (not for sale separately) an indispensable helper at work, where the worker changes his position and it is often necessary to secure and unlock	€ 85.72	2	pcs	€ 171.44	0.5~1.5W	
28	durable universal backpack		3 separate storage parts padded back, shoulders and bottom of the backpack carrying strap dimensions: 45 x 36 x 18 cm, volume 26 l for transporting and carrying equipment for work at heights material: Oxford polyester 600 x 600D color: black-green	€ 33.63	5	pcs	€ 168.14	0.5~1.5W	
29	travel bag		solid polyethylene bottom carrying strap dimensions: 60 x 19 x 26 cm, volume 29 l for transporting and carrying equipment for work at heights material: Oxford polyester 600 x 600D color: black-green	€ 27.12	5	pcs	€ 135.59	checking	

Fall Protection Quotation_Factory/Company

NEW PRICE
NEW ITEM



JM Euro s.r.o.
2023-05-22

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
30	travel bag		solid polyethylene bottom carrying strap dimensions: 60 x 19 x 26 cm volume 29 l for transporting and carrying equipment for work at heights material: Oxford polyester 600 x 600D color: black-green	€ 32.00	5	pcs	€ 160.02	0.5~1.5W	
31	Hi-Vis Rucksack Yellow		Heat applied segmented reflective tape for added visibility 38cm/15" laptop sleeve Pull string front provides extra storage Two mesh water bottle pockets double as multi-use pockets Padded mesh back panel and a breathable lumbar panel for comfortable ventilated support 47cm x 30cm x 19.5cm	€ 32.11	5	pcs	€ 160.55	1~1.5W	
32	Tool Lanyard Black		This item prevents your tool from becoming a dangerous falling object and a safety hazard when working at height. Safe Working Load 9kg . 10pcs/pack	€ 50.57	1	pack	€ 50.57	1~1.5W	
33	Quick Connect Tool Lanyard Green		Allows quick and easy attachment/detachment of tools Prevents dropped and falling objects Ultra lightweight for long uses Ergonomic and versatile Safe Working Load 2.5kg	€ 28.86	1	pack	€ 28.86	1~1.5W	It will be consume up soon
34	Double Tool Lanyard		Double elasticated tool lanyard for multiple tools. This item prevents tools from becoming dangerous falling objects and a safety hazard when working at height. Safe Working Load 3kg, 10pcs/pack Polyester Webbing, Aluminium	€ 88.27	1	pack	€ 88.27	?	

Fall Protection Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2023-05-22

No.	Item	Photo	Code, Spec.	Quotation (부가세미포함)	Qty (MOQ)	Unit	Amount	L/T	Remark
35	STRETCH LANYARD (공구낙상 방지용)		Stretch lanyard for connecting heavy tools Max. length : 1,30 m./ Width : 33 mm. Material : Polyester./ Weight : 0,130 kg. Has a steel ring (inside diam. 38 mm) for connecting to a tool-holding hook on the harness or belt of the user. Has a steel D-ring at one end for connecting to the harness of the user. Length of the loop : 130 mm, for attaching the chainsaw. Recommended for attaching tools of 10 kg max.	€ 14.49	5	pcs	€ 72.45	0.5~1.5W	It will be consume up soon
36	STRETCH LANYARD (공구낙상 방지용)		STRETCH LANYARD WITH INTEGRATED KARABINERS FOR CONNECTING TOOLS Max. length : 1 m. / Width : 14 mm. Material : Polyester. / Weight : 0,077 kg. Has 2 Aluminium karabiners, gate opening 15 mm. Recommended for attaching tools of 5 kg max.	€ 17.00	5	pcs	€ 85.00	check	old price
	discount				1	time	-€ 546.31		3,000€~ : 5%
	Delivery Charge		To Slovakia/ Hungary/ Poland/ Czech 10€/BOX ~ 120€/PALLET express 단독차량 160~190€ 1DAY	€ 35.00	1	Ship	€ 35.00		1,000€~ : Free (부피)중량물 제외 (예:보루,헬멧,소화기.)

EXW Trnava(SK)

€ 10,414.92

Payment : In Advance

If the qty is changed , probably the price will be changed

Leading Time; counting after payment confirmation

<https://www.jmeuro.com/fallprotection>